

## Conservation Status Assessment

**Scientific Name:** *Albatrellopsis flettii*

**Classification:** Fungus

**Assessment area:** Washington

**Heritage Rank:** **S3**

**Rank Date:** 3/9/2017

Assigned Rank Reasons: Fair number of occurrences across west side of Washington.

**Range Extent:** F = 20,000-200,000 sq km (~8,000-80,000 sq mi)

Comments: Around 35, 000 sq. km.

**Population Size:** Not assessed

Comments: None

**Number of Occurrences:** C = 21 - 80

Comments: In 2002 survey Norvell notes: "All 25 occurrences are assumed extant in the absence of contradictory data. However, it is probable that many are historical reports where known sites may no longer exist in suitable habitat. ~15 occurrences lie within currently protected forest reserves." At least a few more collections have been recorded since that survey.

**Area of Occupancy:** E = 26-125 4-km<sup>2</sup> grid cells

Comments: Low to mid range of E.

**Good Viability:** C = Few (4-12) occurrences with excellent or good viability or ecological integrity

Comments: occurrences in Pasayten Wilderness, Mount Rainier National Park. At least 4 in protected areas. A couple on the very edge of wilderness areas.

**Environmental Sensitivity:** Not Evaluated

Comments: None

**Short Term Trends:** Not Evaluated

Comments: None

**Long Term Trends:** Not Evaluated

Comments: None

**Threat Impact:** C = Medium

Comments:

From Norvell 2002: "Threatened by development, hot fires, and forest clearcutting or heavy thinning (probably not by low thinning). Logging is occurring in or predicted for the unprotected areas. Depending on forest management or fire, the scope of the threat and severity could be moderate. Sites in protected areas should remain viable as long as the stand communities are present." Unprotected sites will be at risk of logging.

**Intrinsic Vulnerability:** Not Evaluated

Comments: None

**Calculated Rank:** S3

**Rank Author:** Caitlin Lawrence

**Rank Reviewer:** Lorelei Norvell

**References:**

Audet, S.A. 2010. Essai de decoupage systematique du genre Scutigera (Basidiomycota): Albatrellopsis, Albatrellus, Polyporoletus, Scutigera et description de six nouveaux genres. Mycotaxon. 111:431-464.

**Definitions and Resources:**

<b>Rank Prefixes</b>	
G	Global rank, applied to taxon's full geographic range
S	State rank, applied to taxon's range within the designated state
<b>Rank Values</b>	
1	Critically imperiled
2	Imperiled
3	Vulnerable
4	Apparently secure, uncommon but not rare
5	Secure, common, abundant, and widespread

**Suggested citation:**

Oregon Biodiversity Information Center. 2017. Fungi Conservation Status Assessments. Institute for Natural Resources, Portland State University and Oregon State University. Portland, Oregon and Corvallis, Oregon.

More assessments available at <http://inr.oregonstate.edu/orbic/rare-species/ranking-documentation>

Element rank calculator resources at <http://www.natureserve.org/conservation-tools/conservation-rank-calculator>

Oregon Biodiversity Information Center, Institute for Natural Resources

Oregon State University and Portland State University

Mail Stop: INR, P.O. Box 751

Portland, OR 97207-0751

(503)-725-9950

<http://inr.oregonstate.edu/orbic>

<http://inr.oregonstate.edu/>