

Oregon Status Factors

Elcode NFSM000072
Gname GASTROBOLETUS VIVIDUS
Gcomname

Number of Occurrences

A = 1 - 5

Comments Only a few collections around 8.

Number of Occurrences with Good Viability

B = Very few (1-3) occurrences with good viability

Comments

Population Size

A = 1-50 individuals

Comments

Range Extent

D = 1,000-5,000 km² (about 400-2,000 square miles)

Comments Known from the Central Oregon Cascades South to the Oregon Siskiyou's

Area of Occupancy

A = <0.4 km² (less than about 100 acres)

B = 0.4-4 km² (about 100-1,000 acres)

LA = <4 km (less than about 2.5 miles)

LB = 4-40 km (about 2.5-25 miles)

Comments

Long-term Trend in Population Size, Extent of Occurrence, Area of Occupancy, and/or Number or Condition of Occurrences

U = Unknown. Long-term trend in population, range, area occupied, or number or condition of occurrences unknown

Comments

Short-term Trend in Population Size, Extent of Occurrence, Area of Occupancy, and/or Number or Condition of Occurrences

U = Unknown. Short-term trend in population, range, area occupied, and number and condition of occurrences unknown.

Comments

Threats

B = Moderate and imminent threat. Threat is moderate to severe and imminent for a significant proportion (20-60%) of the population, occurrences, or area. Ecological community occurrences are directly impacted over a moderate area, either causing irreversible damage or requiring a long-term recovery.

Scope Moderate **Severity** Moderate **Immediacy** Moderate

Comments This is a mycorrhizal species it is dependent on a host tree for its carbohydrates. Studies have shown that if the tree is killed the mycorrhizal fungi die shortly after. The one possibly saving feature of this species is the spore bank. However, nothing is known about the spore bank of this species

Number of Appropriately Protected and Managed Occurrences

B = Few (1-3) occurrences appropriately protected and managed

Comments

Intrinsic Vulnerability

U = Unknown

Comments

Environmental Specificity

B = Narrow. Specialist or community with key requirements common.

Comments

Other Considerations

ORNHIC - List 1

Edition 11/12/2002 **Edauthor** Francisco J. Camacho

Grank S1 **Grank Date** 11/12/2002

Reasons

This species is known from 3 sites. This species is very similar in habitat and stature to the more common *Gastroboletus* species. Because those species are so commonly found and this one isn't I presume that it is rare.

BCD Sources

New Sources

Trappe, J.M., and Castellano, M.A. 2000. New sequestrate Ascomycota and Basidiomycota covered by the Northwest Forest Plan. *Mycotaxon* 75:153-179.