

Oregon Status Factors

Elcode NFSM000154
Gname RAMARIA RAINIERENSIS
Gcomname

Number of Occurrences

A = 1 - 5

Comments Known from 2 locations in OR

Number of Occurrences with Good Viability

B = Very few (1-3) occurrences with good viability

Comments There is 1 occurrence in a protected site.

Population Size

A = 1-50 individuals

Comments

Range Extent

F = 20,000-200,000 km² (about 8,000-80,000 square miles)

Comments Known only from coastal forests.

Area of Occupancy

A = <0.4 km² (less than about 100 acres)

LA = <4 km (less than about 2.5 miles)

Comments

Long-term Trend in Population Size, Extent of Occurrence, Area of Occupancy, and/or Number or Condition of Occurrences

U = Unknown. Long-term trend in population, range, area occupied, or number or condition of occurrences unknown

Comments

Short-term Trend in Population Size, Extent of Occurrence, Area of Occupancy, and/or Number or Condition of Occurrences

U = Unknown. Short-term trend in population, range, area occupied, and number and condition of occurrences unknown.

Comments

Threats

C = Substantial, non-imminent threat. Threat is moderate to severe but not imminent (> 10 years) for most of the population, occurrences, or area.

Scope High

Severity High

Immediacy Unknown

Comments This species grows on soil in late successional forests

Number of Appropriately Protected and Managed Occurrences

U = Unknown whether any occurrences are appropriately protected and managed

Comments There is 1 occurrence in a protected site. This species is susceptible to soil compaction

Intrinsic Vulnerability

A = Highly Vulnerable. Species is slow to mature, reproduces infrequently, and/or has low fecundity such that populations are very slow (> 20 years or 5 generations) to recover from decreases in abundance; or species has low dispersal capability such that extirpated populations are unlikely to become reestablished through natural recolonization (unaided by humans). Ecological community occurrences are highly susceptible to changes in composition and structure that rarely if ever are reversed through natural processes even over substantial time periods (> 100 years).

Comments Associated to late successional forests

Environmental Specificity

B = Narrow. Specialist or community with key requirements common.

C = Moderate. Generalist or community with some key requirements scarce.

Comments

Other Considerations

ORNHIC List 3

Edition 11/8/2002 **Edauthor** Efren Cazares

Grank S2 **Grank Date** 11/8/2002

Reasons

There is only one record of this species from a protected site in OR. However, more surveys are needed to confirm its rarity. Susceptible to soil compaction.

BCD Sources

Castellano, M.A., J.E. Smith, T. O'Dell, E. Cazares and S. Nugent. 1999. Handbook to Strategy 1 Fungal species in the Northwest Forest Plan. USDA, Forest Service Pacific Northwest Research Station, Portland, OR. GTR PNW-GTR-476. & Marr, C.D. and Stuntz, D.E. 1973. Ramaria of Western Washington. Biblio. Mycol. 38:1-232. & Ramaria subgenus Lentoramaria with emphasis on North American taxa. Biblio. Mycol. 43:1-161.

New Sources