Oregon Status Factors

Elcode NFSM000172

Gname RHIZOPOGON FLAVOFIBRILLOSUS

Gcomname

Number of Occurrences

B = 6 - 20

Comments 6 collections.

Number of Occurrences with Good Viability

B = Very few (1-3) occurrences with good viability

Comments

Population Size

A = 1-50 individuals

Comments

Range Extent

D = 1,000-5,000 km2 (about 400-2,000 square miles)

Comments Southern Oregon. The Siskiyou moutains. And one collection from the central Oregon Cascades.

Area of Occupancy

A = <0.4 km 2 (less than about 100 acres)

LA = <4 km (less than about 2.5 miles)

Comments

Long-term Trend in Population Size, Extent of Occurrence, Area of Occupancy, and/or Number or Condition of Occurrences

U = Unknown. Long-term trend in population, range, area occupied, or number or condition of occurrences unknown

Comments

Short-term Trend in Population Size, Extent of Occurrence, Area of Occupancy, and/or Number or Condition of Occurrences

U = Unknown. Short-term trend in population, range, area occupied, and number and condition of occurrences unknown.

Comments

Threats

E = Localized substantial threat. Threat is moderate to severe for a small but significant proportion of the population, occurrences, or area. Ecological community occurrences are directly impacted over a small area, or in a small portion of their range, but threats require a long-term recovery.

Scope Low Severity Moderate Immediacy Moderate

Comments

This is a mycorrizhal species it is dependent on a host tree for its carbohydrates. Studies have shown that if the tree is killed the mycorrizhal fungi die shorty after. The one possibly saving feature of this species it the spore bank. However, nothing is known about the spore bank of this species

Number of Appropriately Protected and Managed Occurrences

C = Several (4-12) occurrences appropriately protected and managed

Comments

Intrinsic Vulnerability

U = Unknown

Comments

Environmental Specificity

B = Narrow. Specialist or community with key requirements common.

Comments

Other Considerations

ORNHIC - List 3 (Review)

Edition 11/17/2002 Edauthor Francisco J. Camacho

Grank S2 Grank Date 11/17/2002

Greasons

Only known from 6 sites. This species occurs in areas that are not well examined for truffle like fungi. It is probably more common than we know.

BCD Sources

New Sources

Smith, A.H., S.M. Zeller. 1966. A preliminary account of the North American Species of Rhizopogon. Mem. New York Bot. Gard. 14:1-177