# **Oregon Status Factors**

Elcode NFSM000173

Gname RHIZOPOGON INQUINATUS

**Gcomname** 

#### **Number of Occurrences**

A = 1 - 5

Comments 4 collections.

## **Number of Occurrences with Good Viability**

A = No (A- or B- ranked) occurrences with good viability B = Very few (1-3) occurrences with good viability

b = very lew (1-3) occurrences with good viability

Comments

## **Population Size**

A = 1-50 individuals

Comments

### **Range Extent**

B = 100-250 km2 (about 40-100 square miles)

Comments Only known from a small area of the central Oregon Cascades.

## **Area of Occupancy**

A = <0.4 km 2 (less than about 100 acres)

LA = <4 km (less than about 2.5 miles)

Comments

# Long-term Trend in Population Size, Extent of Occurrence, Area of Occupancy, and/or Number or Condition of Occurrences

U = Unknown. Long-term trend in population, range, area occupied, or number or condition of occurrences unknown

Comments

# Short-term Trend in Population Size, Extent of Occurrence, Area of Occupancy, and/or Number or Condition of Occurrences

U = Unknown. Short-term trend in population, range, area occupied, and number and condition of occurrences unknown.

Comments

#### **Threats**

E = Localized substantial threat. Threat is moderate to severe for a small but significant proportion of the population, occurrences, or area. Ecological community occurrences are directly impacted over a small area, or in a small portion of their range, but threats require a long-term recovery.

Scope Low Severity Moderate Immediacy Moderate

Comments

This is a mycorrizhal species; it is dependent on a host tree for its carbohydrates. Studies have shown that if the tree is killed the mycorrizhal fungi die shorty after. The one possibly saving feature of this species is the spore bank. However, nothing is known about the spore bank of this species.

## **Number of Appropriately Protected and Managed Occurrences**

B = Few (1-3) occurrences appropriately protected and managed

Comments

## **Intrinsic Vulnerability**

U = Unknown

Comments

## **Environmental Specificity**

A = Very Narrow. Specialist or community with key requirements scarce.

Comments

#### Other Considerations

ORNHIC - List 2

Edition 11/17/2002 Edauthor Francisco J. Camacho

**Grank** S1S2 **Grank Date** 11/17/2002

#### Greasons

Only known from a small area of the central Oregon Cascades. Only known from 2 sites. In Oregon it occurs in the Willamette National Forest, an area that has be well characterized for truffles. If it has only been found here twice it is rare here.

## **BCD Sources**

#### **New Sources**

Smith, A.H., S.M. Zeller. 1966. A preliminary account of the North American Species of Rhizopogon. Mem. New York Bot. Gard. 14:1-177